

SECURITY CHIMNEYS TUBINOX STAINLESS STEEL RIGID LINERS
www.securitychimneys.com

INDEX

INTRODUCTION.....	13-2 – 13-3
5" DIAMETER	
ADAPTORS	13-4
CHIMNEY LENGTHS.....	13-4
ELBOWS.....	13-4
INCREASERS.....	13-4
RAIN CAPS.....	13-4
SUPPORTS	13-4
TEES	13-4
6" DIAMETER	
ADAPTORS	13-5
CHIMNEY LENGTHS.....	13-5
ELBOWS.....	13-5
INCREASERS AND REDUCERS.....	13-5
INSULATED WALL RADIATION SHIELD.....	13-5
RAIN CAPS.....	13-6
SUPPORTS	13-5
TEES	13-5
7" DIAMETER	
ADAPTORS	13-6
CHIMNEY LENGTHS.....	13-6
ELBOWS.....	13-6
INCREASERS AND REDUCERS.....	13-7
INSULATED WALL RADIATION SHIELD.....	13-7
RAIN CAPS.....	13-7
SUPPORTS	13-6
TEES	13-6
8" DIAMETER	
ADAPTORS	13-8
CHIMNEY LENGTHS	13-7
ELBOWS.....	13-7
INCREASERS AND REDUCERS.....	13-8
INSULATED WALL RADIATION SHIELD.....	13-8
RAIN CAPS.....	13-8
SUPPORTS	13-8
TEES	13-7

ECCO is proud to be a member of:




SECURITY CHIMNEYS TUBINOX STAINLESS STEEL RIGID LINERS

www.securitychimneys.com

SECURITY CHIMNEYS TUBINOX RIGID LINERS

THE ADVANTAGES OF TUBINOX:



TWIST-LOCK SYSTEM

The TUBINOX can be installed simply and easily thanks to its unique twist-lock system. Just slip the components together and twist 1/8th of a turn.



DRIPLESS CONNECTION

Dripless connection keeps creosote and condensation inside the liner.



GREATER RESISTANCE TO CORROSION AND DEFORMATION

Manufactured with 304 type stainless steel renowned for its resistance to corrosion. Double-lock seam provides superior strength and prevents deformation.



LIFETIME LIMITED WARRANTY


Tubinox liner is covered by a Lifetime Limited Warranty. See your local ECCO Supply Sales Representative for complete details.

For complete detailed installation instructions, visit: www.securitychimneys.com

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –


INSTALLATION

STRAIGHT INSTALLATION



- 1 – Masonry Adaptor (LMA)
- 2 – Tee Cap (TCS)
- 3 – Split Base Tee (LT)
- 4 – Length (L)
- 5 – Flashing (LST)
- 6 – Deluxe Rain Cap (LCC)
- 7 – Minimum Clearance 18"

OFFSET INSTALLATION



- 1 – Elbow (LE45/LE90)
- 2 – Adjustable Length (L7A)
- 3 – Interior Support (LSB)
- 4 – Elbow (LE45/LE90)
- 5 – Length (LL)
- 6 – Support Assembly (LSA)
- 7 – Regular Rain Cap (LCS)

SAFETY AND PERFORMANCE

APPLICATION

The TUBINOX stainless steel liner is designed for installation in a masonry chimney

- When the clay liner of an existing chimney is damaged
- To improve the chimney's draft; or as a substitute of the clay liner in a new masonry chimney
- It can be used to vent solid, liquid or gas-fuel fired appliances (coal, wood, oil, etc.)

FOR YOUR SAFETY

Time and wear can crack clay liners. Under these conditions, your liner can quickly become a nest for creosote deposits. Should this be the case with your masonry chimney, it would be wise, for safety reasons, to consider the advantages of a TUBINOX stainless steel liner.

The accumulation of creosote inside a chimney can become dangerous. As it is inflammable, creosote is the cause of chimney fires which can spread to become a real danger. The stainless steel liner impedes the adhesion of creosote.

FOR GREAT PERFORMANCE

Controlled-combustion stoves are designed accordingly to highly efficient heat transfer and combustion technologies. Their rate of performance increases when they are installed with a chimney of suitable diameter. Clay liners are often too large. Consequently, they remain too cold and do not allow gas to be completely consumed, a situation which leads to gas condensation, thus formation of creosote.

ADDITIONAL BENEFITS

- Inexpensive compared to the cost of replacing a damaged masonry chimney.
- Can be installed in a matter of hours.
- Substitutes the clay liner in a new masonry chimney.
- Improves the chimney's draft
- Stainless steel, type 304
- All components in the TUBINOX system are made of stainless steel
- Certified to standards: UL-1777, ULC-S635M and ULC-S640M at 2100°F (1150°C).

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –

SECURITY CHIMNEYS TUBINOX STAINLESS STEEL RIGID LINERS

www.securitychimneys.com


TUBINOX — 5" DIAMETER CHIMNEY LENGTHS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	5LL6	5" x 6" Length	P.O.A.
C610000	5LL12	5" x 12" Length	P.O.A.
C610000	5LL24	5" x 24" Length	P.O.A.
C610000	5LL36	5" x 36" Length	P.O.A.
C610000	5LL48	5" x 48" Length	P.O.A.
C610000	5L7A	5" Adjustable Length (7"-11")	P.O.A.
C610000	5LLFLEX	5" Stainless Steel Flex – 5 feet long	P.O.A.



TEES

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	5LT	5" Split Base Tee	P.O.A.
C610000	5LTCS	5" Tee Cap	P.O.A.
C610000	5LTC	5" Twist-Lock Tee Cap	P.O.A.



ELBOWS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	5LE30	5" x 30° Elbow	P.O.A.
C610000	5LE45	5" x 45° Elbow	P.O.A.
C610000	5LE90	5" x 90° Elbow	P.O.A.



SUPPORTS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	5LST	5" Top Support	P.O.A.
C610000	5LSTSS	5" Top Support – Stainless	P.O.A.
C610000	5LSA	5" Support Assembly	P.O.A.
C610000	5LSB	5" Interior Support	P.O.A.



ADAPTORS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	5LAAM	5" Adaptor Flexible Pipe – Male	P.O.A.
C610000	5LAAF	5" Adaptor Flexible Pipe – Female	P.O.A.
C610000	5LMA	5" Masonry Adaptor	P.O.A.



INCREASERS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	5LLW6	5" Increaser – Length 5" – 6"	P.O.A.



RAIN CAPS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	5LCS	5" Regular Rain Cap	P.O.A.
C610000	5LCC	5" Deluxe Rain Cap	P.O.A.



– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –

SECURITY CHIMNEYS TUBINOX STAINLESS STEEL RIGID LINERS

www.securitychimneys.com

TUBINOX — 6" DIAMETER

CHIMNEY LENGTHS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	6LL6	6" x 6" Length	P.O.A.
C610000	6LL12	6" x 12" Length	P.O.A.
C610000	6LL24	6" x 24" Length	P.O.A.
C610000	6LL36	6" x 36" Length	P.O.A.
C610000	6LL48	6" x 48" Length	P.O.A.
C610000	6L7A	6" Adjustable Length (7"-11")	P.O.A.
C610000	6LLFLEX	6" Stainless Steel Flex – 5 feet long	P.O.A.



TEES

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	6LT	6" Split Base Tee	P.O.A.
C610000	6LTCS	6" Tee Cap	P.O.A.
C610000	6LTC	6" Twist-Lock Tee Cap	P.O.A.




ELBOWS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	6LE30	6" x 30° Elbow	P.O.A.
C610000	6LE45	6" x 45° Elbow	P.O.A.
C610000	6LE90	6" x 90° Elbow	P.O.A.




SUPPORTS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	6LST	6" Top Support	P.O.A.
C610000	6LSTSS	6" Top Support – Stainless	P.O.A.
C610000	6LSA	6" Support Assembly	P.O.A.
C610000	6LSB	6" Interior Support	P.O.A.



ADAPTORS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	6LAAM	6" Adaptor Flexible Pipe – Male	P.O.A.
C610000	6LAAF	6" Adaptor Flexible Pipe – Female	P.O.A.
C610000	6LMA	6" Masonry Adaptor	P.O.A.



INSULATED WALL RADIATION SHIELD

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	6LRSMI	6" Adjustable Insulated Wall Rad. Shield – 6"-12"	P.O.A.



INCREASERS AND REDUCERS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	6LLW7	6" Increaser Length – 6"-7"	P.O.A.
C610000	6LLR5	6" Reducer – 6"-5"	P.O.A.



– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –

SECURITY CHIMNEYS TUBINOX STAINLESS STEEL RIGID LINERS

www.securitychimneys.com

TUBINOX — 6" DIAMETER (cont'd)

RAIN CAPS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	6LCS	6" Regular Rain Cap	P.O.A.
C610000	6LCC	6" Deluxe Rain Cap	P.O.A.



TUBINOX — 7" DIAMETER


CHIMNEY LENGTHS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	7LL6	7" x 6" Length	P.O.A.
C610000	7LL12	7" x 12" Length	P.O.A.
C610000	7LL24	7" x 24" Length all Stainless	P.O.A.
C610000	7LL36	7" x 36" Length	P.O.A.
C610000	7LL48	7" x 48" Length	P.O.A.
C610000	7L7A	7" Adjustable Length (7"-11")	P.O.A.
C610000	7LLFLEX	7" Stainless Steel Flex – 5 feet long	P.O.A.



TEES

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	7LT	7" Split Base Tee	P.O.A.
C610000	7LTCS	7" Tee Cap	P.O.A.
C610000	7LTC	7" Twist-Lock Tee Cap	P.O.A.



ELBOWS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	7LE30	7" x 30° Elbow	P.O.A.
C610000	7LE45	7" x 45° Elbow	P.O.A.
C610000	7LE90	7" x 90° Elbow	P.O.A.



SUPPORTS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	7LST	7" Top Support	P.O.A.
C610000	7LSTSS	7" Top Support – Stainless	P.O.A.
C610000	7LSA	7" Support Assembly	P.O.A.
C610000	7LSB	7" Interior Support	P.O.A.



ADAPTORS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	7LAAM	7" Adaptor Flexible Pipe – Male	P.O.A.
C610000	7LAAF	7" Adaptor Flexible Pipe – Female	P.O.A.
C610000	7LMA	7" Masonry Adaptor	P.O.A.



– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –

SECURITY CHIMNEYS TUBINOX STAINLESS STEEL RIGID LINERS

www.securitychimneys.com

TUBINOX — 7" DIAMETER (cont'd) INSULATED WALL RADIATION SHIELD

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	7LRSMI	7" Adjustable Insulated Wall Radiation Shield – 6"-12"	P.O.A.



INCREASERS AND REDUCERS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	7LLW8	7" Increaser Length – 7"– 8"	P.O.A.
C610000	7LLR6	7" Reducer – 7"– 6"	P.O.A.



RAIN CAPS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	7LCS	7" Regular Rain Cap	P.O.A.
C610000	7LCC	7" Deluxe Rain Cap	P.O.A.




TUBINOX — 8" DIAMETER CHIMNEY LENGTHS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	8LL6	8" × 6" Length	P.O.A.
C610000	8LL12	8" × 12" Length	P.O.A.
C610000	8LL24	8" × 24" Length	P.O.A.
C610000	8LL36	8" × 36" Length	P.O.A.
C610000	8LL48	8" × 48" Length	P.O.A.
C610000	8L7A	8" Adjustable Length (7"–11")	P.O.A.
C610000	8LLFLEX	8" Stainless Steel Flex 5ft long	P.O.A.



TEES

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	8LT	8" Split Base Tee	P.O.A.
C610000	8LTCS	8" Tee Cap	P.O.A.
C610000	8LTC	8" Twist-Lock Tee Cap	P.O.A.



ELBOWS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	8LE30	8" × 30° Elbow	P.O.A.
C610000	8LE45	8" × 45° Elbow	P.O.A.
C610000	8LE90	8" × 90° Elbow	P.O.A.



– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –

SECURITY CHIMNEYS TUBINOX STAINLESS STEEL RIGID LINERS

www.securitychimneys.com

TUBINOX — 8" DIAMETER (cont'd)

SUPPORTS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	8LST	8" Top Support	P.O.A.
C610000	8LSTSS	8" Top Support – Stainless	P.O.A.
C610000	8LSA	8" Support Assembly	P.O.A.
C610000	8LSB	8" Interior Support	P.O.A.



ADAPTORS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	8LAAM	8" Adaptor Flexible Pipe – Male	P.O.A.
C610000	8LAAF	8" Adaptor Flexible Pipe – Female	P.O.A.
C610000	8LMA	8" Masonry Adaptor	P.O.A.



INSULATED WALL RADIATION SHIELD

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	8LRSMI	8" Adjustable Insulated Wall Radiation Shield – 6"-12"	P.O.A.



INCREASERS AND REDUCERS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	8LLR7	8" Reducer 8"– 7"	P.O.A.



RAIN CAPS

STOCK #	MODEL	DESCRIPTION	PRICE
C610000	8LCS	8" Regular Rain Cap	P.O.A.
C610000	8LCC	8" Deluxe Rain Cap	P.O.A.

