

BROAN CENTRAL VACUUMS

www.broan.ca

INDEX

ACCESSORIES.....	14-4 – 14-5
BRUSHES.....	14-3
FITTINGS.....	14-6
HOSES.....	14-4
INLET INSTALLATION KITS.....	14-5
INLETS.....	14-5
INTRODUCTION.....	14-2
POWER UNIT KITS (INCLUDES UNIT).....	14-3
POWER UNITS.....	14-2
TOOLS.....	14-4

ECCO is proud to be a member of:



ASHRAE
 American Society of
 Heating, Refrigerating, and
 Air-Conditioning Engineers, Inc.
www.ashrae.org



HRAI
 Heating, Refrigeration and
 Air Conditioning
 Institute of Canada
www.hrai.ca



HARDI
 Heating, Airconditioning &
 Refrigeration Distributors
 International
www.hardinet.org



SMACNA
 Sheet Metal and Air
 Conditioning Contractors'
 National Association
www.smacna.org



SPIDA
 Spiral Duct
 Manufacturers
 Association
www.spida.org



CIPH
 Canadian Institute
 of Plumbing &
 Heating
www.ciph.com

BROAN CENTRAL VACUUMS

www.broan.ca

INTRODUCTION

Quiet, powerful and versatile, Broan Central Vacuum Systems offer convenience and value because they make cleaning every corner of your house unbelievably easy. Innovative features, optimal efficiency, and quiet. Progressive status indicator lights tell you at a glance when to empty the debris pail. Noise is suppressed better than ever before with Broan's revolutionary new internal sound suppression system which deadens sound to a comfortable level – no external muffler required. Broan's high performance filters feature self-cleaning HEPA rated media protected with no-stick coating, trapping dust and bacteria better than ever before. Removing, emptying and reinstalling the debris pail is made easy with a snapping system that locks into place without twisting or turning.

Easy access to filter and debris pail.	Sound suppression insulation makes Broan power units very quiet.	Debris pail indicator lights tell you when to empty the canister.	Debris pail is easy to remove and re-attach with large handles.

POWER UNITS

STOCK #	MODEL	DESCRIPTION	AIR WATTS	WATER LIFT (")	CFM	VOLTS	WEIGHT (LBS)	PRICE
808900	VX3000C	Power Unit: for homes up to 3,000 sq. ft. – Cyclonic – Standard permanent filter, 4 US gallon debris capacity – Built-in sound suppression – Right or left installation	475	90	114	120	53	\$970.00
808902	VX6000C	Power Unit: for homes up to 6,000 sq. ft. – Cyclonic – Self cleaning permanent HEPA filter, 7 US gallon debris capacity – Built-in sound suppression – Pail full indicator – Right or left installation	550	130	135	120V	59	1,065.00
808904	VX12000C	Power Unit: for homes up to 12,000 sq. ft. – Cyclonic – Self cleaning permanent HEPA filter, Dual Motor – 7 US gallon debris capacity – Built-in sound suppression – Pail full indicator – Right or left installation	1040	130	230	240	59	1,700.00
C808800	CX450	Power Unit: for homes up to 3,000 sq. ft. – Cyclonic or disposable bag, 6 US gallon debris capacity – Integrated muffler – Right or left installation	450	90	100	120	–	P.O.A.



VX3000C



VX6000C



VX12000C



VX6000C

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –

BROAN CENTRAL VACUUMS

www.broan.ca

POWER UNIT KITS (INCLUDES UNIT)

STOCK #	MODEL	DESCRIPTION	AIR WATTS	WATER LIFT (")	CFM	VOLTS	WEIGHT (LBS)	PRICE
808910	VXKIT300A	Kit: Includes a VX3000C power unit, 6 piece tool set, 32' low voltage crushproof hose, air driven brush	475	90	114	120	67	\$1,300.00
808912	VXKIT600E	Kit: Includes a VX6000C power unit, 7 piece tool set, 32' dual voltage crushproof hose, electronic power brush	550	135	130	120	81	1,700.00
C808800	VXKIT1200E	Kit: Includes a VX12000C power unit, deluxe 7 piece tool set, dual voltage crushproof hose and electronic power brush	1040	130	230	240	-	P.O.A.
808932	CXKIT450A	Kit: Includes a CX450 power unit, standard 6 piece tool set, 30' low voltage crushproof hose with multi surface floor brush	450	90	100	120	-	825.00



VXKIT300A



VXKIT600E



VXKIT1200E



CXKIT450A

BRUSHES

STOCK #	MODEL	DESCRIPTION	WEIGHT (LBS)	PRICE
C808800	BN185	Perfect choice for wall to wall and high pile carpets – Built-in light – Edge to edge cleaning – Toe touch off/on switch – Soft non-scuffing bumper – Use with current carrying hose – BN32DV dual voltage hose (sold separately)	8	P.O.A.
C808800	BN160	Multi-surface floor brush – Effective on all flooring types – Easy-to-use pedal – Switches from hard surface to carpet cleaning mode – Side channels for better edge cleaning performance – Pivot/swivel neck assembly – Fits all standard wands	-	P.O.A.
808914	BN165	Air-driven brush, 4 rubber wheels for use on all surfaces – Floating wheels ensure superior performance – Side channel for better edge cleaning – Pivot/swivel neck assembly – Squeegee floor tool for even suction distribution – Fits all standard wands	-	\$150.00
C808800	BN200	Electric power brush – Power brush neck – Wand release pedal – Equipped with 6 LEDs for superior lighting – 4-level height adjustment with LED indicators – Soft easy-rolling rubber wheels – Includes aluminum telescopic wand	-	P.O.A.



BN160



BN165



BN200

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –

BROAN CENTRAL VACUUMS

www.broan.ca

TOOLS

STOCK #	MODEL	DESCRIPTION	WEIGHT (LBS)	PRICE
808918	BN135	Standard tool set: Includes a 10" floor brush, stainless steel telescopic wand, upholstery tool and brush, crevice tool and tool caddy	3	\$170.00
808920	BN235	Deluxe tool set: Includes a 12" floor brush, stainless steel telescopic wand, dusting brush, upholstery tool and brush, crevice tool, tool caddy, storage bag	4	210.00
C808800	BN155B	Deluxe hard surface floor tool – black	–	P.O.A.
C808800	GKIT145	Car and Garage Cleaning Kit – includes 50" length crush-proof orange hose, swivel hose handle, extra wide and long crevice tool, round dusting brush with extra long bristles, convertible upholstery tool can be used with or without bristle brush, 9" universal fabric brush, see-through mesh caddy bag and convenient hose hanger	12	P.O.A.



BN135



BN235



BN155B



GKIT145

HOSES

STOCK #	MODEL	DESCRIPTION	WEIGHT (LBS)	PRICE
808924	BN32	Standard crushproof hose: 32' – 1-1/4" diameter, sturdy metal wand and inlet valve ends, slide air regulator	6.8	\$150.00
808928	BN32LV	Low voltage crushproof hose: 32' – 1-3/8" diameter, 360° rotating handle, three position air flow regulator, handle two-position switch	9	300.00
808930	BN32DV	Dual voltage crushproof hose: 32' – 1-3/8" diameter, 360° rotating handle, three position air flow regulator, handle three-position switch	10	450.00



BN32



BN32LV



BN32DV

ACCESSORIES

STOCK #	MODEL	DESCRIPTION	WEIGHT (LBS)	PRICE
C808800	V137	Muffler for Metal Central Vacuum Power Unit	0.8	P.O.A.
C808800	V138	Temporary Cover with Screws	–	P.O.A.
C808800	V172-3	Disposable Bag – V14/15/a6C (3/Pack)	1.4	P.O.A.
C808800	V600	VacuSweep® Dustpan Inlet Value – Ivory	–	P.O.A.
C808800	V600B	VacuSweep® Dustpan Inlet Value – Black	–	P.O.A.
C808800	V700S	VacuSweep® Dustpan Inlet Value – Silver	–	P.O.A.
C808800	V600W	VacuSweep® Dustpan Inlet Value – White	–	P.O.A.
C808800	V601	VacuSweep® Trim Plate Value – Ivory	0.2	P.O.A.
C808800	V601B	VacuSweep® Trim Plate Value – Black	0.2	P.O.A.
C808800	V601W	VacuSweep® Trim Plate Value – White	0.2	P.O.A.



V137



V138



V600



V601

(cont'd on next page)

BROAN CENTRAL VACUUMS

www.broan.ca

ACCESSORIES (cont'd)

STOCK #	MODEL	DESCRIPTION	WEIGHT (LBS)	PRICE
C808800	HS30	Padded hose Cover with Stay-Lock Fastener, 30'	-	P.O.A.
C808800	HS35	Protect your Floors and Furniture with this Padded Hose Cover – Stay-Lock Fastener – Simple Installation – 35'	-	P.O.A.
808934	PF450	Permanent Replacement Filter for CX450	-	\$80.00/ea
C808800	391C	Disposable Replacement Filter for CX450 (3-pk)	-	P.O.A.



HS35



PF450



391C

INLETS

STOCK #	MODEL	DESCRIPTION	WEIGHT (LBS)	PRICE
C808800	V111	Vertical Wall Inlet – Ivory	0.2	P.O.A.
C808800	V111B	Vertical Wall Inlet – Brass	0.2	P.O.A.
C808800	V111W	Vertical Wall Inlet – White	0.7	P.O.A.
C808800	V141	Inlet Valve Bracket fits 2" tubing	0.1	P.O.A.



V111



V111B



V111W

INLET INSTALLATION KITS

STOCK #	MODEL	DESCRIPTION	WEIGHT (LBS)	PRICE
C808800	V185	Add-On Inlet Kit: (1) V120 – 2" 45° Short Elbow (2) V121 – 2" 90° Sweep Elbow (1) V122 – 2" 90° Short Elbow (1) V124 – 2" 90° Tee (2) V127 – 2" Coupling (1) V144 – Wall Plate with Plaster Guard	2	P.O.A.
C808800	V186	Single Inlet Kit: (1) V111W – White Wall Inlet (2) V120 – 2" 45° Short Elbow (3) V121 – 2" 90° Sweep Elbow (1) V122 – 2" 90° Short Elbow (1) V124 – 2" 90° Tee (1) V144 – Wall Plate with Plaster Guard (3) V127 – 2" Coupling (1) 25' Low Voltage Wire (4) V131-5 – PVC Tubing 5 ft. Length (1) V129 – Joint Cement	8	P.O.A.
C808800	V189	Three Inlet Kit: (3) V120 – 2" 45° Short Elbow (6) V121 – 2" 90° Sweep Elbow (3) V122 – 2" 90° Short Elbow (2) V124 – 2" 90° Tee (6) V127 – 2" Coupling (1) V129 – Joint Cement (1) V133 – 100 ft. cable (2" cond. 22 gauge) (3) V144 – Wall Plate with Plaster Guard	10	P.O.A.



V185

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra -

BROAN CENTRAL VACUUMS

www.broan.ca

FITTINGS

STOCK #	MODEL	DESCRIPTION	WEIGHT (LBS)	PRICE
C808800	V110	90° Sweep Elbow	0.1	P.O.A.
C808800	V118	45° Short Elbow	0.1	P.O.A.
C808800	V120	2" 45° Short Elbow	0.1	P.O.A.
C808800	V121	2" 90° Sweep Elbow	0.1	P.O.A.
C808800	V122	2" 90° Short Elbow	0.1	P.O.A.
C808800	V123	2" 45° "Y"	0.2	P.O.A.
C808800	V124	2" 90° Tee	0.2	P.O.A.
C808800	V125	2" 90° "Y"	0.3	P.O.A.
C808800	V126	Short Tee	0.7	P.O.A.
C808800	V127	2" Coupling	0.1	P.O.A.
C808800	V129	Joint Cement (120 ml)	0.6	P.O.A.
C808800	V131	2" PVC Tubing 10 ft. length	2	P.O.A.
C808800	V131-5	2" PVC Tubing 5 ft. length	1	P.O.A.
C808800	V132	2" 30° Short Elbow	0.1	P.O.A.
C808800	V133	100 ft. Cable (2" cond. 22 gauge)	1.4	P.O.A.
C808800	V134	2" Tubing Cap	0.1	P.O.A.
C808800	V135	Plastic Guard with Screws	0.1	P.O.A.
C808800	V139	Inlet Valve Extension	0.1	P.O.A.
C808800	V140	2" Tubing Strap	0.1	P.O.A.
C808800	V142	Exterior Wall Cap	0.1	P.O.A.
C808800	V144	Plastic Mounting Plate	0.1	P.O.A.
C808800	V153	2" 90° Spigot Elbow	0.1	P.O.A.
C808800	V382XS	2" 90° Short Socket Elbow	-	P.O.A.
C808800	300MTL	Metal Tubing 8' Length – Commercial Applications	-	P.O.A.
C808800	301MTL	Metal 90° Elbow – Commercial Applications	-	P.O.A.
C808800	302MTL	Metal Slip Coupling – Commercial Applications	-	P.O.A.
C808800	303MTL	Metal "Y" Joint – Commercial Applications	-	P.O.A.

