

IPEX VENTING AND DRAINAGE PIPE AND FITTINGS

www.ipexinc.com

INDEX

5-IN-1 ADJUSTABLE ROOF FLASHING.....	14-12	SYSTEM 636® CPVC-FGV — TYPE BH CLASS IIA 90°C**	
CPVC		ADAPTER.....	14-6
COUPLINGS.....	14-12	ELBOWS.....	14-6
ELBOWS.....	14-12	COUPLINGS.....	14-5
MISCELLANEOUS FITTINGS.....	14-12	PIPE – PLAIN END (10' LENGTHS).....	14-5
PIPE.....	14-12	REDUCER BUSHINGS.....	14-6
TEES.....	14-12	TEES.....	14-6
INTRODUCTION.....	14-2	SYSTEM 636® LARGE DIAMETER CPVC-FGV – TYPE BH CLASS IIB 90°C**	
PVC		CONDENSATE DRAIN ASSEMBLY (SP × FPT).....	14-7
CEMENTS AND PRIMERS.....	14-11	COUPLING.....	14-7
CONDENSATE PIPE.....	14-11	ELBOWS.....	14-7
COUPLINGS.....	14-11	PIPE – PLAIN END (10' LENGTHS).....	14-7
ELBOWS.....	14-11	REDUCER BUSHINGS.....	14-7
MISCELLANEOUS FITTINGS.....	14-11	TEES.....	14-7
TEES.....	14-11	SYSTEM 636® PVC-FGV – TYPE BH CLASS IIA 65°C*	
SCHEDULE 40 PVC		ADAPTER.....	14-5
ADAPTERS.....	14-11	ELBOWS.....	14-3 – 14-4
COUPLINGS.....	14-10	COUPLINGS.....	14-3
ELBOWS.....	14-10	PIPE – PLAIN END (10' LENGTHS).....	14-3
MISCELLANEOUS FITTINGS.....	14-11	REDUCER BUSHINGS.....	14-3, 14-5
PIPE.....	14-10	TEES.....	14-4, 14-5
TEES.....	14-10	TESTING PLUG AND BUSHING KIT (SP × PLUG).....	14-5
SYSTEM 636®			
CEMENTS AND PRIMERS.....	14-8		
CONCENTRIC VENT KITS.....	14-8		
CUTTER.....	14-10		
DEBURRING TOOL.....	14-10		
FACE PLATES.....	14-9		
SWAB.....	14-8		
TERMINATION KITS.....	14-8, 14-9		
TERMINATION VENT SCREENS.....	14-9		
TESTING PLUG AND BUSHING KIT – CPVC-FGV (SP × PLUG).....	14-9		
VENT CAPS.....	14-9		
VENT TERMINATION.....	14-9		

*For use with gas fired appliances producing flue gases 65°C or less.

**For use with gas fired appliances producing flue gases 90°C or less.

NOTE: FGV denotes Flue Gas Vent

ECCO is proud to be a member of:



IPEX VENTING AND DRAINAGE PIPE AND FITTINGS

www.ipexinc.com

INTRODUCTION

IPEX offers complete certified systems of pipes, fittings and cements meeting the stringent demands of the ULC S636 venting standard.

ONE CODE CHANGE, TWO CERTIFIED SOLUTIONS

IPEX offers System 636 in two distinct materials, each with a unique temperature rating. These venting systems are approved as Type BH vents and are designed for negative or positive pressure venting of gas-fired appliances:

System 636™ PVC

System 636 PVC is classified as Type BH Class IIA vent suitable for use on appliances with flue gas temperatures up to and including 65°C. Sizes include 1-1/2", 2", 2-1/2", 3" and 4". Coloured white with unique blue certification markings, System 636 PVC pipe is made to sturdy SCH 40 dimensions to provide a strong, rigid pipe for the application. IPEX offers a full range of System 636 PVC vent fittings and accessories.



SYSTEM 636 PVC
(rated up to 65°C)

System 636™ CPVC

System 636 CPVC is classified as Type BH Class IIB vent suitable for use on appliances with flue gas temperatures up to and including 90°C. CPVC sizes include 1-1/2", 2", 2-1/2", 3", 4", 6" & 8". Coloured grey, System 636 CPVC pipe is also made to sturdy SCH 40 dimensions to be tough enough for the application's demands. Their full line of System 636 CPVC fittings are available in SCH 80 dimensions.



SYSTEM 636 CPVC
(rated up to 90°C)

LEGEND

H	Hub	EL	Extra Long
Sp	Spigot	FPT	Female Pipe Thread
L	Long	MPT	Male Pipe Thread

Caution

IPEX PVC and CPVC Type BH flue gas vent products are listed and certified by ITS-Warnock Hersey to ULC S636 as complete systems of pipes, fittings and cements, and they must be installed as such.

DO NOT mix pipe, fittings or cements from different BH vent manufacturers. This can result in unsafe conditions and will void both the product certification and product warranty.

System 636 PVC is listed as Type BH Class IIA venting system with a maximum temperature rating of 65°C (149°F).

System 636 CPVC is listed as Type BH Class IIB venting system with a maximum temperature rating of 90°C (194°F).


IPEX VENTING AND DRAINAGE PIPE AND FITTINGS

www.ipexinc.com

SYSTEM 636® PVC-FGV — TYPE BH CLASS IIA 65°C*


PVC GAS VENT PIPE — PLAIN END (10 FT. LENGTHS)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/FT
887721	194003	1-1/2	860	\$3.50
887722	194000	2	1050	5.60
887724	194004	2-1/2	780	8.80
887726	194001	3	580	12.90
887728	194002	4	510	15.70




PVC-FGV COUPLING (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
888026	196452	1-1/2	25	\$3.00
887732	196352	2	70	3.80
887734	196454	2-1/2	20	6.80
887736	196353	3	60	8.90
887738	196354	4	30	15.40




PVC-FGV INCREASER COUPLING (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887739	196362	2 × 1-1/2	150	\$7.70
887740	196364	3 × 2	45	14.00
C887720	196365	4 × 2	25	P.O.A.
887742	196366	4 × 3	30	21.10




PVC-FGV DEEP SOCKET COUPLING (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	196453	2	20	P.O.A.
C887720	196455	3	25	P.O.A.




PVC-FGV REDUCER BUSHING (SP × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	196653	1-1/2 × 1/2	20	P.O.A.
887744	196282	2 × 1-1/2	80	\$3.80
888028	196666	2-1/2 × 1-1/2	10	8.00
887753	196667	2-1/2 × 2	60	6.30
887754	196284	3 × 2	50	6.80
887746	196673	3 × 2-1/2	20	7.20



PVC-FGV 90° ELBOW SHORT (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
888022	196121	1-1/2	120	\$6.00
887750	196035	2	50	6.60
887759	196525	2-1/2	10	14.70
887752	196025	3	25	18.20
887792	196124	4	20	39.00



*For use with gas fired appliances producing flue gases 65°C or less.

— E.&O.E. — All Prices F.O.B. Our Warehouse — Subject to Change Without Notice — All Taxes Extra —


IPEX VENTING AND DRAINAGE PIPE AND FITTINGS

www.ipexinc.com

SYSTEM 636® PVC-FGV — TYPE BH CLASS IIA 65°C* (cont'd)


PVC-FGV 90° ELBOW LONG (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887756	196122	2	55	\$6.80
887758	196123	3	23	18.50




PVC-FGV 90° ELBOW EXTRA LONG (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887777	196022	2	40	\$7.20
887779	196023	3	15	19.30




PVC-FGV 45° STREET ELBOW (H × SP)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887771	196071	2	50	\$6.80




PVC-FGV 90° STREET ELBOW (SP × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887769	196232	2	60	\$5.60
887770	196233	3	15	18.00




PVC-FGV 45° ELBOW (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
888024	196241	1-1/2	175	\$4.00
887760	196242	2	110	5.60
887763	196487	2-1/2	10	13.00
887762	196243	3	25	15.60
887764	196244	4	20	28.00




PVC-FGV 45° LONG ELBOW (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887743	196010	2	45	\$7.00
887745	196011	3	20	17.40




PVC-FGV 22-1/2° ELBOW (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	196252	2	45	P.O.A.



PVC-FGV SAN TEE (H × H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	196081	1-1/2	110	P.O.A.
887766	196082	2	35	\$12.00
887749	196781	2-1/2	10	17.50
887751	196083	3	17	21.20
C887720	196084	4	5	P.O.A.



*For use with gas fired appliances producing flue gases 65°C or less.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –


IPEX VENTING AND DRAINAGE PIPE AND FITTINGS

www.ipexinc.com

SYSTEM 636® PVC-FGV — TYPE BH CLASS IIA 65°C* (cont'd)


PVC-FGV SAN REDUCER TEE (H × H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887765	196056	2 × 1-1/2	40	\$10.00
887767	196061	3 × 1-1/2	30	20.00
887789	196822	3 × 2	10	26.00
887794	196828	4 × 2	5	45.00




PVC-FGV REDUCER BUSHING (SP × HOSE BARB)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887748	196278	1-1/2 × 1/2	80	\$3.10




PVC-FGV HEX HEAD REDUCER BUSHING (SP × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	196672	3 × 2	20	P.O.A.




PVC-FGV FEMALE THREAD ADAPTER (H × FPT)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	196564	2	20	P.O.A.



PVC-FGV TESTING PLUG AND BUSHING KIT (SP × PLUG)


ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887787	196143	2	10	\$13.20



SYSTEM 636® CPVC-FGV — TYPE BH CLASS IIA 90°C**


CPVC GAS VENT PIPE — PLAIN END (10' LENGTHS)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/FT
C887720	198003	1-1/2	580	P.O.A.
888202	198001	2	580	\$20.00
C887720	198004	2-1/2	580	P.O.A.
888204	198000	3	580	42.20
C887720	198002	4	340	P.O.A.




CPVC-FGV COUPLING (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197136	1-1/2	10	P.O.A.
888232	197137	2	10	\$13.70
C887720	197138	2-1/2	5	P.O.A.
888250	197139	3	5	33.80
C887720	197140	4	5	P.O.A.



CPVC-FGV INCREASER COUPLING (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197470	3 × 2	5	P.O.A.
C887720	197472	4 × 3	5	P.O.A.



*For use with gas fired appliances producing flue gases 65°C or less.

**For use with gas fired appliances producing flue gases 90°C or less.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –


IPEX VENTING AND DRAINAGE PIPE AND FITTINGS

www.ipexinc.com

SYSTEM 636® CPVC-FGV — TYPE BH CLASS IIA 90°C** (cont'd)


CPVC-FGV HEX HEAD REDUCER BUSHING (SP × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197385	2 × 1/2	10	P.O.A.
C887720	197386	2 × 3/4	10	P.O.A.
C887720	197389	2 × 1-1/2	10	P.O.A.
C887720	197394	3 × 2	10	P.O.A.
C887720	197395	3 × 2-1/2	10	P.O.A.
C887720	197396	4 × 2	20	P.O.A.




CPVC-FGV REDUCER BUSHING (SP × HOSE BARB)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197278	1-1/2 × 1/2	80	P.O.A.




CPVC-FGV 90° ELBOW (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197199	2	15	P.O.A.
888244	197201	3	5	\$60.00
C887720	197202	4	5	P.O.A.



CPVC-FGV 90° ELBOW LONG (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
888222	197122	2	55	\$18.00
888246	197123	3	23	45.40
C887720	197124	4	20	P.O.A.




CPVC-FGV 45° ELBOW (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
888226	197169	2	10	\$19.00
888248	197171	3	5	51.70
C887720	197172	4	5	P.O.A.




CPVC-FGV TEE (H × H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197486	2	10	P.O.A.
C887720	197488	3	5	P.O.A.
C887720	197489	4	5	P.O.A.



CPVC-FGV REDUCER TEE (H × H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197502	3 × 2	5	P.O.A.
C887720	197504	4 × 2	5	P.O.A.



CPVC-FGV FEMALE THREAD ADAPTER (H × FPT)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197224	2	10	P.O.A.



**For use with gas fired appliances producing flue gases 90°C or less.


IPEX VENTING AND DRAINAGE PIPE AND FITTINGS

www.ipexinc.com

SYSTEM 636® LARGE DIAMETER CPVC-FGV — TYPE BH CLASS IIB 90°C**


CPVC GAS VENT PIPE — PLAIN END (10' LENGTHS)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/FT
C887720	198005	6	220	P.O.A.
C887720	198006	8	70	P.O.A.




CPVC-FGV 90° ELBOW LONG (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197125	6	5	P.O.A.
C887720	197126	8	2	P.O.A.



CPVC-FGV 90° ELBOW (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197203	6	5	P.O.A.
C887720	197204	8	2	P.O.A.




CPVC-FGV 45° ELBOW (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197173	6	5	P.O.A.
C887720	197174	8	2	P.O.A.




CPVC-FGV TEE (H × H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197490	6	4	P.O.A.
C887720	197491	8	2	P.O.A.




CPVC-FGV REDUCING TEE (H × H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197506	6 × 6 × 4	4	P.O.A.
C887720	197567	8 × 8 × 6	2	P.O.A.




CPVC-FGV COUPLING (H × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197141	6	5	P.O.A.
C887720	197142	8	2	P.O.A.



CPVC-FGV HEX HEAD REDUCER BUSHING (SP × H)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197400	6 × 4	10	P.O.A.
C887720	197401	8 × 6	5	P.O.A.



CPVC-FGV CONDENSATE DRAIN ASSEMBLY (SP × FPT)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197002	4 × 1/2	1	P.O.A.
C887720	197003	6 × 1/2	1	P.O.A.



**For use with gas fired appliances producing flue gases 90°C or less.

IPEX VENTING AND DRAINAGE PIPE AND FITTINGS

www.ipexinc.com

SYSTEM 636®

CEMENTS AND PRIMERS

ITEM #	MODEL	DESCRIPTION	CTN/QTY	PRICE/EA
887768	196040	PVC One-Step Cement/Pint (Low VOC)	12	\$20.00
887778	196041	PVC One-Step Cement/Quart (Low VOC)	12	40.10
888242	196046	CPVC One-Step Cement/Pint (Low VOC)	12	30.70
C887720	196047	CPVC One-Step Cement/Quart (Low VOC)	12	P.O.A.
C887720	196015	CPVC One-Step Cement/Gallon (Low VOC)	6	P.O.A.
887776	196044	PVC/CPVC/ABS One-Step Transition Cement/Pint	12	22.60
887780	196042	PVC/CPVC Primer*/Pint (Purple) (Low VOC)	12	22.60
887781	196017	PVC/CPVC Primer*/Pint (Clear) (Low VOC)	12	25.40
887782	196043	PVC/CPVC Primer*/Quart (Purple) (Low VOC)	12	36.30



NOTES: Use only System 636® cements and primers. Substituting other cement and primers will void certification and warranty.

Primer shall be used when installing System 636® PVC or CPVC products at temperatures below 0°C.

Primer always required on 6" and 8" CPVC.

Primer is required in some jurisdictions regardless of temperature, verify with your local Authority having Jurisdiction.

All pint and quart cans supplied with dauber (applicator) for use up to 4".

SWAB

ITEM #	MODEL	DESCRIPTION	CTN/QTY	PRICE/EA
C887720	074456	Gallon – for pipe diameters 6" and larger, fits Model 196015 can	24	P.O.A.



PVC-FGV CONCENTRIC VENT KIT


ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887772	196005	2 × 16	1	\$151.70
C887720	196105	2 × 28	1	P.O.A.
C887720	196125	2 × 40	1	P.O.A.
887773	196006	3 × 20	1	203.70
C887720	196106	3 × 32	1	P.O.A.
C887720	196116	3 × 44	1	P.O.A.
C887720	196021	4 × 36	1	P.O.A.



NOTE: Vent screen not included.

CPVC-FGV CONCENTRIC VENT KIT


ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
888252	197009	3 × 20	1	\$408.50
C887720	197107	3 × 32	1	P.O.A.
C887720	197117	3 × 44	1	P.O.A.
C887720	197021	4 × 36	1	P.O.A.



NOTE: Vent screen not included.

PVC-FGV LOW PROFILE TERMINATION KIT (BEIGE)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887741	196984	2	1	\$56.90
887737	196985	3	1	59.00
C887720	196986	4	1	P.O.A.



– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –


IPEX VENTING AND DRAINAGE PIPE AND FITTINGS

www.ipexinc.com

SYSTEM 636® (cont'd)


CPVC-FGV TESTING PLUG AND BUSHING KIT (SP × PLUG)

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
C887720	197143	2	10	P.O.A.



CPVC-FGV WALL TERMINATION KIT

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887784	081216	2	1	\$117.40
887786	081218	2-1/2	1	172.90
887788	081219	3	1	199.00




NOTE: Vent screen not included.

VENT TERMINATION

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887799	—	2 – 1-1/2	1	\$22.00

FACE PLATE — ROUND — SELF SEALING FOAM BACK


ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887783	196063	2	65	\$24.30
887785	196064	3	65	29.60
C887720	196055	4	65	P.O.A.
C887720	197053*	2	65	P.O.A.
C887720	197054*	3	65	P.O.A.
C887720	197055*	4	65	P.O.A.



*Grey colour to match CPVC.

FACE PLATE — RECTANGULAR — SELF SEALING FOAM BACK — WHITE


ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887795	196216	2	65	\$41.20
887797	196218	2-1/2	65	43.00
887798	196219	3	65	43.00



TERMINATION VENT SCREENS

Polyethylene vent screens are not ULC S636 certified. Friction fit vent screens inside termination fitting bells to prevent debris and rodents from entering vent.

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887790	196050*	2	250	\$6.00
887791	196051*	3	100	17.00
C887720	196052*	4	75	P.O.A.
C887720	196090**	6	5	P.O.A.
C887720	196091**	8	5	P.O.A.



*Polyethylene

**Stainless Steel

VENT CAPS

ITEM #	MODEL	SIZE (")	CTN/QTY	PRICE/EA
887774	196001	2	1	\$14.00
887775	196002	3	1	17.90

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –


IPEX VENTING AND DRAINAGE PIPE AND FITTINGS

www.ipexinc.com

SYSTEM 636® (cont'd)

DEBURRING TOOL

To ensure quality solvent cement connections, deburr all pipe ends prior to cementing.
For guidance on Deburring 6" – 8" pipe, contact your local ECCO Supply Representative.



ITEM #	MODEL	DESCRIPTION	CTN/QTY	PRICE/EA
C887720	196246	1-1/2" to 4" Pipe	1	P.O.A.

CUTTER


ITEM #	MODEL	DESCRIPTION	CTN/QTY	PRICE/EA
C887720	196247	1-1/2" to 3" Pipe	1	P.O.A.



SCHEDULE 40 PVC

CONDENSATE PIPE

ITEM #	MODEL	SIZE (")	DESCRIPTION	PRICE/FT
887532	022603	1/2	10 ft. length	\$1.59
887520	022604	3/4	10 ft. length	1.94
887558	022625	2-1/2	20 ft. length	7.43




ELBOWS (SOC x SOC)

ITEM #	MODEL	DESCRIPTION	PRICE/EA
887552	035519	1/2" x 90°	\$1.25
887522	035520	3/4" x 90°	0.91
887565	035481	1/2" x 45°	1.65
887525	035482	3/4" x 45°	2.01




90° Elbow



45° Elbow

ELBOWS — STREET (MT x SOC)

ITEM #	MODEL	DESCRIPTION	PRICE/EA
887568	035500	1/2" x 90°	\$2.68
887537	035501	3/4" x 90°	2.62




ELBOWS — REDUCING (SOC x FT)

ITEM #	MODEL	DESCRIPTION	PRICE/EA
887539	035515	3/4" – 1/2" x 90°	\$2.79



TEES (SOC x SOC x SOC)

ITEM #	MODEL	SIZE (")	PRICE/EA
887540	035775	1/2	\$1.60
887524	035776	3/4	1.25



COUPLINGS (SOC x SOC)

ITEM #	MODEL	SIZE (")	PRICE/EA
887542	035448	1/2	\$0.91
887528	035449	3/4	0.86
887559	035759	1/2 x 3/4 Reducing	5.93



– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –

IPEX VENTING AND DRAINAGE PIPE AND FITTINGS

www.ipexinc.com

SCHEDULE 40 PVC (cont'd)

HOSE ADAPTER (INSERT × MT)

ITEM #	MODEL	SIZE (")	DESCRIPTION	PRICE/FT
887554	035157	1/2	Grey	\$2.00

ADAPTERS

SOC × FPT



ITEM #	MODEL	SIZE (")	DESCRIPTION	PRICE/FT
887563	035560	3/4	Female	\$1.43

SOC × MT

ITEM #	MODEL	SIZE (")	DESCRIPTION	PRICE/FT
887526	035603	3/4	Male	\$1.54

MT × SOC


ITEM #	MODEL	SIZE (")	DESCRIPTION	PRICE/FT
887523	035614	1/2 × 3/4	Male Reducing	\$1.53



PVC

CONDENSATE PIPE

ITEM #	SIZE (")	DESCRIPTION	PRICE/EA
887603	3/4	20 ft. length	\$1.90




ELBOWS (SLIP × SLIP)

ITEM #	MODEL	DESCRIPTION	PRICE/EA
887634	5-417007	3/4" × 45°	\$2.05




TEES (SLIP × SLIP × SLIP)

ITEM #	MODEL	SIZE (")	PRICE/EA
887612	5-401007	3/4	\$1.25



COUPLINGS (SLIP × SLIP)

ITEM #	MODEL	SIZE (")	PRICE/EA
887652	5-429007	3/4	\$0.80



CEMENTS AND PRIMERS

ITEM #	DESCRIPTION	PRICE/EA
887580	ABS/CPVC/PVC Cement – 250 ML	\$14.65
887582	Clear Primer – 250 ML	18.30
887574	Cement – 250 ML	18.30



SCHEDULE 40 PVC/PVC MISCELLANEOUS FITTINGS

ITEM #	MODEL	DESCRIPTION	PRICE/EA
887536	TAA-1620	1/2" MPT × 5/8" Barb Elbow	\$1.40
887680	5-436007	3/4" MIPT × Slip Adapter	0.85
887682	–	3/4" Slip × 1/2" MIPT Adapter	1.30



MIPT × Slip Adapter



90° Barb Elbow

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –

IPEX VENTING AND DRAINAGE PIPE AND FITTINGS

www.ipexinc.com

CPVC

PIPE

ITEM #	MODEL	SIZE (")	DESCRIPTION	PRICE/FT
887800	4700-12	1/2	10 ft. length	\$1.70
887840	4700-34	3/4	10 ft. length	2.75



ELBOWS

ITEM #	MODEL	DESCRIPTION	PRICE/EA
887830	4707-12	1/2" × 90°	\$1.10
887870	4707-34	3/4" × 90°	1.85
887810	4706-12	1/2" × 45°	1.10
887858	4706-34	3/4" × 45°	2.65
887831	561464	1/2" × 90° Street	1.15
887871	561563	3/4" × 90° Street	2.15



Elbow

TEES

ITEM #	MODEL	SIZE (")	PRICE/EA
887806	4711-12	1/2	\$1.30
887846	4711-34	3/4	2.35




COUPLINGS

ITEM #	MODEL	SIZE (")	PRICE/EA
887818	4701-12	1/2	\$0.90
887850	4701-34	3/4	1.55




MISCELLANEOUS FITTINGS

ITEM #	MODEL	DESCRIPTION	PRICE/EA
887802	4703-12	1/2" FIPT × Slip Adapter	\$3.65
887804	4704-12	1/2" MIPT × Slip Adapter	1.35
887880	4718-12	3/4" Slip × 1/2" Slip Reducer	1.55
887852	4703-34	3/4" FIPT × Slip Adapter	4.65
887853	4704-34	3/4" MIPT × Slip Adapter	2.10



Adapter



Reducer

5-IN-1 ADJUSTABLE ROOF FLASHING

ITEM #	DESCRIPTION	CTN/QTY	PRICE/EA
887700	5-in-1 Adjustable Flashing	25	\$18.00

Made of Santoprene Rubber that is able to maintain tension at contact with ABS pipe, unlike flashing made with PVC.

Full 4" flange all around.

FITS: 1-1/4" Plastic or 1-1/2" Copper

1-1/2" Plastic or 2" Copper

2" Plastic

3" Plastic

4" Plastic

