

THERMOLEC ELECTRIC BOILERS

www.thermolec.com

INDEX

MODULATING ELECTRIC BOILER WITH OUTDOOR RESET CONTROL	
DUAL-ENERGY FEATURES	2-2
ELECTRIC BOILERS	2-3
FOR ELECTRIC AND DUAL-ENERGY INSTALLATIONS.....	2-2
OUTDOOR RESET CONTROL.....	2-3
STANDARD FEATURES — ALL MODELS	2-2

ECCO is proud to be a member of:



ASHRAE

American Society of
Heating, Refrigerating, and
Air-Conditioning Engineers, Inc.
www.ashrae.org



HRAI

Heating, Refrigeration
and Air Conditioning
Institute of Canada
www.hrai.ca



HARDI

Heating, Airconditioning &
Refrigeration Distributors
International
www.hardinet.org



SMACNA

Sheet Metal and Air
Conditioning Contractors'
National Association
www.smacna.org



SPIDA

Spiral Duct
Manufacturers
Association
www.spida.org

THERMOLEC ELECTRIC BOILERS

www.thermolec.com

MODULATING ELECTRIC BOILER WITH OUTDOOR RESET CONTROL FOR ELECTRIC AND DUAL-ENERGY INSTALLATIONS

Thermolec modulating boilers are designed to be quickly and easily installed on a wall, requiring very little space. They offer a safe, reliable operation. Two versions are available:

- Electric boilers for new construction or as a retrofit installation
- Dual-energy boilers for applications where the system alternates between electric heat and oil, natural gas, or propane.

STANDARD FEATURES — ALL MODELS

Mechanical

- Heavy-duty, fully insulated heat generator (10 year warranty)
- Low-watt density Incoloy elements (10 year warranty)
- Easy access for installation and maintenance
- Approved for zero clearance to combustibles materials
- Pressure relief valve
- Temperature and pressure gauge

Electrical

- Convenient plug-in electronic board controls all automatic functions
- Pre-wired elements electronically controlled for full modulation
- Quiet magnetic relays for heating elements and pump
- High-limit thermal protection
- Adjustable electronic hot water aquastat with wide range to suit all applications (80°F to 180°F)
- Outdoor reset control saves energy and improves comfort.



DUAL-ENERGY FEATURES

- A built-in fixed anticipator suits both heating modes
- Two-Position Selector Switch allows gas/oil heating or automatic selection according to the outdoor sensor; accepts time-of-day or remote control by the local utility
- A green pilot light indicates the selected mode.

KW @ 240V	AMPS	MODELS	
		ELECTRIC	DUAL-ENERGY
5 KW	20.8	B-5M	B-5
6 KW	25.0	B-6M	B-6
8 KW	33.3	B-8M	B-8
9 KW	37.5	B-9M	B-9
10 KW	41.6	B-10M	B-10
15 KW	62.5	B-15M	B-15
18 KW	75.0	B-18M	B-18
20 KW	83.3	B-20M	B-20
23 KW	95.8	B-23M	B-23
27 KW	112.5	B-27M	B-27
30 KW	125.0	B-30M	B-30
35 KW	145.8	B-35M	B-35
40 KW	166.7	B-40M	B-40

– E.&O.E. – May not be in stock at all branches, if so please allow 10 days for delivery. –
– All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –


THERMOLEC ELECTRIC BOILERS

www.thermolec.com

MODULATING ELECTRIC BOILER WITH OUTDOOR RESET CONTROL (cont'd)

OUTDOOR RESET CONTROL

The outdoor reset control proportionally varies the hot water temperature when the outdoor temperature is between -10°C (+14°F) and +10°C (+50°F). This results in greatly improved comfort and energy savings on mild days.



ELECTRIC BOILERS

STOCK #	MODEL	DESCRIPTION	KW CAPACITY	PRICE
854652	B-5M	Modulating Electric Boiler	5	\$2,292.00
854654	B-8M	Modulating Electric Boiler	8	2,483.00
854655	B-9M	Modulating Electric Boiler	9	2,483.00
854656	B-10M	Modulating Electric Boiler	10	2,483.00
854657	B-15M	Modulating Electric Boiler	15	2,865.00
854658	B-18M	Modulating Electric Boiler	18	3,056.00
854659	B-20M	Modulating Electric Boiler	20	3,056.00
854660	B-23M	Modulating Electric Boiler	23	3,362.00

NOTE: Dual Energy Boilers available P.O.A.

- E.&O.E. - May not be in stock at all branches, if so please allow 10 days for delivery. -
- All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra -