

MA-LINE INSTRUMENTS

www.ma-line.com

INDEX

DIGITAL ANEMOMETER (CFM) WITH FLEXIBLE NECK.....	7-4
DIGITAL REFRIGERANT PRESSURE AND TEMPERATURE CHART	7-2
PORTABLE GAS LEAKAGE INDICATOR — NATURAL GAS AND PROPANE	7-4
THERMOMETERS	
DIGITAL	
180° ROTATING HEAD DESIGN.....	7-5
DUAL PROBE WITH CASE	7-3
HAND HELD.....	7-5
POCKET	7-6
POCKET THERMO-HYGROMETER	7-5
HORIZONTAL SOLAR.....	7-3
HYGRO-THERMOMETER WITH CLOCK — INDOOR/OUTDOOR.....	7-6
INFRARED	
POCKET COMBINATION WITH LED FLASHLIGHT	7-2
WITH 16" LONG FLEXIBLE NECK.....	7-2
WITH DUAL LASER TARGETING	7-4
POCKET DIAL — ADJUSTABLE	7-6
REFRIGERATOR/FREEZER AND OVEN.....	7-6
REMOTE READING VAPOR TENSION	7-3

ECCO is proud to be a member of:



ASHRAE

American Society of
Heating, Refrigerating, and
Air-Conditioning Engineers, Inc.
www.ashrae.org



HRAI

Heating, Refrigeration
and Air Conditioning
Institute of Canada
www.hrai.ca



HARDI

Heating, Airconditioning &
Refrigeration Distributors
International
www.hardinet.org



SMACNA

Sheet Metal and Air
Conditioning Contractors'
National Association
www.smacna.org



SPIDA

Spiral Duct
Manufacturers
Association
www.spida.org

INFRARED THERMOMETER WITH 16" LONG FLEXIBLE NECK


Ideal for temperature measurement of hard to reach areas.

8:1 distance to spot ratio.

Temperature range: -58°F to 1112°F (-50°C to 600°C)

Features

- Built in laser pointer
- F/C selectable
- Automatic data hold
- Auto power off
- Backlight
- Comes with case
- 9V battery included



STOCK #	MODEL	DESCRIPTION	PRICE
770180	MA-16507	Infrared Thermometer	\$209.00


POCKET COMBINATION INFRARED THERMOMETER AND LED FLASHLIGHT

1:1 distance to spot ratio.

Temperature range: -27°F to 428°F (-33°C to 220°C)

Features

- Protective infrared lens cap
- Automatic data hold
- Auto off
- No laser sight



STOCK #	MODEL	DESCRIPTION	PRICE
770170	MA-LS4	Pocket Infrared Thermometer and LED Flashlight	\$102.00

DIGITAL REFRIGERANT PRESSURE AND TEMPERATURE CHART

Features

- Compact digital pressure temperature chart
 - Pocket size device offers fast and accurate temperature references on a large easy to read LCD display
 - Automatic power down feature shuts unit OFF Five minutes after the last command to insure extended battery life
- Pressure Units – PSI, BAR and Mpa
Temperature Units – Fahrenheit and Celsius
Includes – Manual, Soft Case, 3V CR2032 Battery



STOCK #	MODEL	DESCRIPTION	PRICE
770168	MA-12834	Digital Pressure/Temperature Chart	\$94.00

The MA-12834 displays accurate pressure and temperatures for 61 refrigerants:

- R11, R12, R13, R21, R22, R23, R32
- R113, R114, R115, R116, R123, R124,
- R125, R134, R134A, R141B, R142B,
- R143, R143A, R152A, R176 R218, R290,
- R401A, R401B, R401C, R402A, R402B,
- R403A, R403B, R404A, R405A, R406A,
- R407A, R407B, R407C, R407D, R408A,
- R409A, R410A, R410B, R411A, R411B,
- R412A, R413A, R414A, R414B, R501,
- R502, R503, R504, R507, R508B, R509A
- R600, R600A, R601, R601A, R717, R744

– E.&O.E. – May not be in stock at all branches, if so please allow 10 days for delivery. –
– All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –


DUAL PROBE DIGITAL THERMOMETER WITH CASE

Temperature range: -328°F to 2498°F (-200°C to 1370°C)

Great for Super Heat. Available Computer Software Package allows downloadable information from a digital thermometer to a PC.

Features

- LCD display
- Low battery indicator
- Dual display (T1-T2)
- Auto power off
- Maximum average minimum hold, related functions
- Resolution 0.1°F (0.1°C)
- Battery – 9V
- Size – 7" × 3-1/2"




STOCK #	MODEL	DESCRIPTION	PRICE
770184	MA-DMT123	Dual Probe Thermometer	\$297.00

HORIZONTAL SOLAR THERMOMETER

Temperature range: -58°F to 302°F (-50°C to 150°C)

Features

- 1-1/2" L × 1/2" H display
- Easily switchable for °F/°C applications
- 48" capillary




STOCK #	MODEL	DESCRIPTION	PRICE
770144	MA-1001S	Solar Thermometer	\$52.00

REMOTE READING VAPOR TENSION THERMOMETERS

Temperature range: -40°F to 60°F (-40°C to 15°C)

These thermometers can be calibrated.

STOCK #	MODEL	DESCRIPTION	PRICE
770152	MA-50ABF	Vapor Tension Thermometer – Back Flange Mount All Stainless Steel Case, 2" Dial, 60" Capillary, Back Connect	\$57.00
770146	MA-60A	Vapor Tension Thermometer – Strap Mount All Stainless Steel Case, 2-1/2" Dial, 60" Capillary, Bottom Connect	77.00



MA-50ABF



MA-60A

– E.&O.E. – May not be in stock at all branches, if so please allow 10 days for delivery. –
– All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –


INFRARED THERMOMETER WITH DUAL LASER TARGETING

12:1 distance to spot ratio.

Temperature range: -58°F to 1202°F (-50°C to 650°C)

Features

- Dual laser targeting
- Wide temperature range
- Switchable between °F and °C
- Max display and High/Low alarm
- Automatic data hold
- Auto power off
- Backlight
- Overrange indicator
- Double molded housing design
- Includes 9V battery and soft case



Specifications

Function	Range
Resolution	0.1°F/°C up to 1000°; 1.0°F/°C over 1000°
Emissivity	Adjustable 0.1 to 1.000
Battery	9V (1 pc)


STOCK #	MODEL	DESCRIPTION	PRICE
770181	MA-16506	Infrared Thermometer	\$290.00

DIGITAL ANEMOMETER (CFM) WITH FLEXIBLE NECK

Temperature range: 14°F to 140°F (-10°C to 60°C)

Features

- Measures air flow
- Sets area of measurement
- Measures air velocity and temperature
- Degrees F/C switchable
- 6 selectable units of measurement
- Data hold/max/min
- Mode store
- 16" gooseneck detector easily measures hard-to-reach areas
- 4 digit display of air velocity in meters/sec, ft/min, km/h, MPH, knots and CFM
- Low battery indication
- Auto power off
- Complete with 9V battery and carrying case



Specifications

Function	Range
meters/sec	0.60-30.00
ft/min	119-5900
km/h	2.2-108.0
MPH	1.4-67.0
Knots	1.2-58.0
CFM	0-999,900ft ³ /min


STOCK #	MODEL	DESCRIPTION	PRICE
770169	MA-12843	Digital Anemometer (CFM) with Flexible Neck	\$479.00

PORTABLE GAS LEAKAGE INDICATOR — NATURAL GAS AND PROPANE

STOCK #	MODEL	DESCRIPTION	PRICE
770172	MA-NG2000-A	Portable Gas Indicator	\$81.00

Specifications

Function	Range
Power	DC
Battery Size	2AA
Consumption	200mA
Detectable Gas	Natural Gas Petroleum Gas
Humidity	95RH or Lower
Duration of Use	Approx. 4 hours Continuously



- E.&O.E. - May not be in stock at all branches, if so please allow 10 days for delivery. -
- All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra -

DIGITAL POCKET THERMO-HYGROMETER

Temperature range: -4°F to 122°F (-10°C to 50°C)
Humidity – 10% to 95% RH



Features

- Dual display of temperature and humidity
- Minimum/Maximum readings for temperature and humidity
- F/C selectable switch
- On/Off switch
- Compact size


STOCK #	MODEL	DESCRIPTION	PRICE
770117	MA-16529	Thermo-Hygrometer	\$77.00

DIGITAL THERMOMETER WITH 180° ROTATING HEAD DESIGN

Temperature range: -58°F to 302°F (-50°C to 150°C)

Features

- Includes on/off switch and automatic shut-off after 10 minutes
- Temperature accuracy is rated a 2° in the center range of the unit
- Unit comes complete with battery
- Unit has the ability to rotate the head of the unit a full 180°




STOCK #	MODEL	DESCRIPTION	PRICE
770164	MA-RT340	Digital Thermometer	\$38.00

HAND HELD DIGITAL THERMOMETER

Temperature range: -58°F to 392°F (-50°C to 200°C)

Features

- Wide measurement range
- F/C switchable
- Minimum/Maximum temperature memory
- Data hold function
- Stainless steel probe
- Magnetic attachment
- Never needs to be calibrated
- Large and clear digital display



STOCK #	MODEL	DESCRIPTION	PRICE
770162	MA-RT900	Hand Held Digital Thermometer	\$48.00

– E.&O.E. – May not be in stock at all branches, if so please allow 10 days for delivery. –
– All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –

MA-LINE INSTRUMENTS


www.ma-line.com

INDOOR/OUTDOOR HYGRO-THERMOMETER WITH CLOCK

Temperature Range (Indoor) – -58°F to 158°F (-50°C to 70°C)
Temperature Range (Outdoor) – -58°F to 158°F (-50°C to 70°C)

Features

- Large LCD display shows both indoor and outdoor temperature and humidity
- Maximum and minimum temperature and humidity memory function
- Daily reset of min/max records function with internal clock
- Instant Fahrenheit/Centigrade switch
- Wall mount or table design




Specifications

Function	Range
Humidity	20% to 90%
Sensor Cable	120"
Battery (included)	1 – AAA (included)

STOCK #	MODEL	DESCRIPTION	PRICE
770182	MA-BDHTR	Indoor/Outdoor Hygro/ Thermometer with Clock	\$82.00

REFRIGERATOR/FREEZER AND OVEN THERMOMETERS

STOCK #	MODEL	DESCRIPTION	PRICE
770156	MA-HRFT1	Horizontal refrigerator/freezer thermometer, -40°F to 80°F (-40°C to 30°C)	\$12.00
770160	MA-SUT45	Stick-up thermometer, -20°F to 120°F (-30°C to 50°C)	8.00



MA-HRFT1


MA-SUT45

POCKET DIGITAL THERMOMETER

Temperature range: -40°F to 392°F (-40°C to 200°C)

Features

- New case design
- Stainless steel stem
- High and low temperature recall
- Water resistant
- Auto off
- Data hold




STOCK #	MODEL	DESCRIPTION	PRICE
770166	MA-PDT392B	Pocket Digital Thermometer	\$41.00

ADJUSTABLE POCKET DIAL THERMOMETER

- With case and 5" stem, 1" dial
- 12 to a display carton
- Fahrenheit scale

STOCK #	MODEL	DESCRIPTION	PRICE
770158	MA-PT160	Adjustable Pocket Dial Thermometer	\$12.00



– E.&O.E. – May not be in stock at all branches, if so please allow 10 days for delivery. –
– All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra –